
Ecoustic® Bond

A dynamic acoustic wall tile that is easy to install




Ecoustic® Bond Wall Tile

Front View



Side View Ecoustic Bond Tile

PRODUCT	Ecoustic [®] Bond Tile
DESCRIPTION	A dynamic, easy to install acoustic tile designed provide quality sound absorption
DIMENSIONS	500mm (w) x 500mm (h) x 55mm (d)
ACOUSTIC	α w 0.5(MH) / NRC 0.65 α w 0.75(MH) / NRC 0.90 (Ecoustic [®] Infill increases sound absorption by >50%)



FIRE TEST		
AS/NZS 1530.3	Ignitability	9
	Spread of Flame	0
	Heat Evolved	3
	Smoke Developed	6
ISO 5660-1	NZBC Group 3 Average Specific Extinction Area 382m2/kg	
GB8624-2012	Grade B1	
APPLICATION	wall + ceiling (must be glued)	
ORIGIN	Made in Australia	

Please contact your representative for CAD drawings

BENEFITS

to

Lightweight, Easy to Handle + Install: Use the provided template to position the 4-way clips, then simply press the tile into place. The design can be easily extended at a later stage.

Designed for the Environment

- Based on low energy manufacturing
- 100% polyester (up to 23% PC + PI recycled content)
- Designed for disassembly + recyclable
- Low-VOC, EPD + Greentag Level A Certified


Warranty: A 12 month warranty is provided against manufacturing defects. Internal installation only, outdoor use will void any warranty.

Building Rating Systems: Bond will contribute the following points for Green Star, LEED + WELL building standards.

Criteria	Green Star	LEED	WELL
Recycled Content			NA
Low VOC			
Recycling Program			NA
EPD			NA
Third Party Greentag Level A Certification			
Toxic Material Reduction	NA	NA	
Sound Reducing Surfaces	NA	NA	

HOW TO SPECIFY		
DESIGN	Ecoustic [®] Bond Tile	
COLOUR	Select from Ecoustic [®] Felt colours	
ECOUSTIC® INFILL	Optional extra - order separately	

Ecoustic® Bond Wall Tile Components



Product may vary in colour due to the nature of the media

Please refer to website for current colour range

Variation in fibre mix and colour is an inherent feature of this product and variation from batch to batch may occur



2000mm (78 ³/₄")