

## BOX TILES

### New Releases - Zintra Box Tiles



Texture:  
 Lustre:  
 Transparency:

<p><b>DESCRIPTION / FEATURES</b></p>	<p>With a range of standard Box sizes you can give your walls texture and definition whilst adding the acoustic benefits of Zintra. Baresque's Zintra Acoustic Box Tile is the perfect solution for your application where acoustic performance as well as aesthetics are required. Zintra's wide range of colours and ease of use make it the ideal material for commercial, hospitality and institutional projects.</p> <p>Find out more about the Benefits of Zintra and its NRC rating on the <a href="#">DOWNLOAD</a> tab.</p>
<p><b>BRAND SPEC</b></p>	<p>Zintra</p>
<p><b>HOW TO SPECIFY</b></p>	<ol style="list-style-type: none"> <li>1. Size</li> <li>2. Quantity per Tile Size</li> <li>3. Zintra Colour</li> <li>4. Print Pattern (if required)</li> </ol>
<p><b>COMPOSITION</b></p>	<p>Zintra Acoustic Panel - 100% Solution Dyed (Colour Through)          Polyester</p>

<b>FIRE RATING</b>	<p>Zintra Acoustic Panel was tested in accordance with AS ISO 9705 <math>\hat{A}, \hat{A}, \hat{A}, \hat{A}, \hat{A}</math> 2003 for the purpose of determining the Group Number classification as required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.</p> <p>The result achieved was:          Classification - Group 1          Specific Extinction - Less than 250m<sup>3</sup>/m<sup>2</sup>/kg</p>
<b>STANDARD SIZE</b>	<p>250mm W X 250mm H          500mm W X 250mm H          500mm W X 500mm H</p> <p>Each size is available in 3 standard depths - 12mm, 30mm or 50mm</p>
<b>SHEET SIZE</b>	<p>610mm x 610mm          1220mm x 610mm          2745mm x 1220mm</p> <p>Pattern only - 12mm          Pattern later on backer - 24mm</p>
<b>FINISHES AVAILABLE</b>	<p>Zintra Panel - Matt. Check out the Zintra 12mm colour range <a href="#">here</a> or the DOWNLOAD tab for a pdf.</p>
<b>INDOOR/OUTDOOR</b>	<p>Indoor only</p>
<b>WET AREAS</b>	<p>No</p>
<b>CUSTOMISABLE</b>	<p>Size - Yes.          Zintra Colour - Yes. Contact Baresque for details</p>
<b>THERMOFORMABLE</b>	<p>No</p>
<b>LEAD TIME</b>	<p>2-3 weeks + 1 week for Western Australia</p>

<b>ADDITIONAL COMMENTS</b>	<p>NRC - 0.45 - 0.95.</p> <p>Also available with Digital Print.</p> <p>Not suitable as a free standing product.</p>
<b>SUPPLIED AS</b>	<p>Individual Zintra Box Tile (assembled), including dual lock fastener screwed into the back of each.</p>
<b>FABRICATION</b>	<p>Stanley knife if required</p>
<b>SUGGESTED INSTALLATION</b>	<p>Check out the DOWNLOAD tab for a complete Handling and Installation guide.</p> <p>Supplied as individual Zintra Box Tile (assembled), including dual lock fastener screwed into the back of each.</p> <p>Arrange as required with included install template and fit to wall with supplied fasteners (no screws supplied).</p>
<b>CARE INSTRUCTIONS</b>	<p>Zintra</p>
<b>REFINISHABLE</b>	<p>No</p>
<b>ENVIRONMENTAL INFORMATION</b>	<p>Zintra</p>

**CARE INSTRUCTIONS**

Remove spills immediately using damp, clean cloth.

Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently.

Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.



**baresque.com.au**  
**e** info@baresque.com.au  
**p** 1300 306 399

<b>ENVIRONMENTAL INFORMATION</b>	Easily recycled through standard recycling channels
----------------------------------	---